

WorkForce Pro WF-M5799DWF



Reduce your business printing costs and environmental impact with this robust mono MFP, and increase productivity with less intervention.

Take advantage of low power consumption, a low Total Cost of Ownership (TCO), a fast First Page Out Time (FPOT) and features designed for easy business integration with the new multifunction WorkForce Pro WF-M5799DWF. This business inkjet printer benefits from automatic double-sided printing, scanning, faxing and copying, making any job easy and efficient, and PDL compatibility, including PCL and PostScript 3.

High productivity and low intervention

Delivering the fastest (FPOT) in its segment of 4.8 seconds against comparable lasers¹. Print up to 40,000 pages without changing supplies with the largest ink yield in this segment². A paper capacity of up to 830 sheets with a 250-sheet main tray means less time spent refilling. A simple paper path and non contact printing allows it to print on a wide range of media including recycled paper, glossy media, envelopes and labels.

Energy saving and CSR

Benefit from significantly fewer consumables due to its high yield and inkjet technology. The energy used while printing is at least 90% less than comparable laser models¹, helping to cut your energy bills and boost your CSR.

Built for business

Perfect for small workgroups with a high print volume, typically within larger organisations where a robust mono printing solution is demanded. A range of software and tools provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate. Epson Open Platform and our work with ISVs add extra solutions, such as PaperCut print management software.

DATASHEET / BROCHURE



KEY FEATURES

- **Save time**
With a fast FPOT
- **Low intervention**
Print, scan, fax and copy with minimal downtime
- **Save time**
High yield and paper capacity mean less time is spent refilling
- **Built for business**
PDL compatibility (PCL and PostScript 3)
- **PrecisionCore technology**
Epson's most advanced printhead technology

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|--|
| Printing Method | PrecisionCore™ Print Head |
| Minimum Droplet Size | With Variable-Sized Droplet Technology |
| Ink Technology | DURABrite™ Ultra |
| Category | Office Workgroup |
| All-in-One Functions | Print, Scan, Copy, Fax |

PRINT

| | |
|-------------------------------------|---|
| First Page Out | Monochrome 4.8 Seconds |
| Printing Speed ISO/IEC 24734 | 24 pages/min Monochrome |
| Duplex Printing Speed ISO/IEC 24734 | 15 A4 Pages/min Monochrome |
| Maximum Printing Speed | 34 pages/min Monochrome (plain paper 75 g/m ²) |
| Printing Resolution | 1,200 x 2,400 DPI |
| Printing Volume | 45,000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities. |
| Recommended Duty Cycle | 250 - 2,500 pages per month |
| Colours | Black |

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

| | |
|--------------------------------------|---|
| Single-sided scan speed (A4 black) | 1,200 DPI 2,400 dpi (with ADF); , 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan |
| Doubled-sided scan speed (A4 black) | 1,200 DPI 2,400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed) |
| Single-sided scan speed (A4 colour) | 1,200 DPI 2,400 dpi (with ADF); , 24 ipm with ADF scan 200 dpi (flatbed) 5 sec. with flatbed scan |
| Doubled-sided scan speed (A4 colour) | 1,200 DPI 2,400 dpi (with ADF); , 8 ipm with ADF scan 200 dpi (flatbed) |
| Scanning Speed | 24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi, ADF); 8 ipm (Monochrome, Double-sided, 200 dpi, ADF); 8 ipm (Colour, Double-sided, 200 dpi, ADF); 5 sec/page (Monochrome, 200 dpi, Flatbed); 5 sec/page (Colour, 200 dpi, Flatbed); |
| Optical Resolution | 1,200 DPI x 2,400 DPI (Horizontal x Vertical) |
| Optical Resolution (ADF) | 1,200 DPI (Horizontal x Vertical) |
| Advanced document integration | Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture Pro), USB Memory Device / Card |
| Output formats | JPEG, TIFF, PDF |
| Scanner type | Contact image sensor (CIS) |

WorkForce Pro WF-M5799DWF

WHAT'S IN THE BOX

- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)
- Initialization Ink Supply Units

PRODUCT SPECIFICATIONS

WorkForce Pro WF-M5799DWF

FAX

| | |
|------------------------|---|
| Type of fax | Walk-up black and white and colour fax capability |
| Fax Transmission Speed | Up to 33.6kbps / Approx. 3 sec/page |
| Error correction mode | CCITU/ITU Group3 fax with Error Correction Mode |
| Fax speed dials (max) | 200 names and numbers |
| Page memory | Up to 550 pages/ 6MB (ITU-T No. 1 chart) |
| Fax Functions | PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax |

COPY

| | |
|--------------------------|---|
| Copy Speed | Up to 22 ipm Black *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735) |
| Copy resolution (dpi) | 600 x 1200 |
| Reduction / Enlargement | 25 % - 400 % |
| Maximum number of copies | 999 |
| Maximum Copy Size | A4 |

CONNECTIVITY

| | |
|------------------------------|---|
| Network Printing Protocols | LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint |
| Network Management Protocols | HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNMP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap |
| Network Scanning Protocols | NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP |
| Interfaces | Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near Field Communication (NFC), USB 2.0-A (2x) |
| WLAN Security | WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES) |
| Network Protocol | TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS |

PAPER / MEDIA HANDLING

| | |
|---------------------------------|--|
| Paper Formats | C4 (Envelope), Legal, A6 (10.5x14.8 cm), A5 (14.8x21.0 cm), B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4 (21.0x29.7 cm), B6, C5 (Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope) |
| Automatic Document Feed | 50 pages |
| Compatible Paper Weight | 64 g/m ² - 256 g/m ² |
| Duplex | Yes |
| Standard Paper input | 330 Sheets Standard, 80 Sheets MP tray, 250 Sheets paper tray |
| Output Tray Capacity | 150 Sheets |
| Standard paper tray(s) | 80-Sheet Multi-Purpose Tray, 250-sheet paper tray |
| Optional paper tray(s) | 2 x 500-Sheet paper tray |
| Maximum paper input | 1,330 |
| Rear paper path (special media) | Yes |
| Number of paper trays | 3 |

PAPER FEED RASF

| | |
|-------------------------|---|
| Paper Input Name | RASF |
| Paper Formats | A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal |
| Custom sizes | Min 64x 127 mm to Max 216x 6,000 mm |
| Compatible paper weight | 64 g/m ² - 256 g/m ² |
| Paper Capacity 1 | 80 Sheets of Plain Paper, Postcards, Envelopes, Labels, 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PRODUCT SPECIFICATIONS

WorkForce Pro WF-M5799DWF

PAPER FEED C1

| | |
|-------------------------|---|
| Paper Input Name | C1 |
| Paper Formats | A4, A5, A6, Letter |
| Custom sizes | Min 89x 127 mm to Max 216x 356 mm |
| Compatible paper weight | 64 g/m ² - 160 g/m ² |
| Paper Capacity 1 | 250 Sheets of Plain Paper, Envelopes, 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PAPER FEED C2

| | |
|-------------------------|---|
| Paper Input Name | C2 |
| Paper Formats | A4, Letter |
| Custom sizes | Min 100x 148 mm to Max 216x 356 mm |
| Compatible paper weight | 64 g/m ² - 160 g/m ² |
| Paper Capacity 1 | 500 Sheets of Plain Paper, 80gsm |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

PAPER FEED DUPLEX

| | |
|-------------------------|---|
| Paper Input Name | Duplex |
| Paper Formats | A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive |
| Custom sizes | Min 148x 210 mm to Max 216x 297 mm |
| Compatible paper weight | 64 g/m ² - 160 g/m ² |
| Media type | Plain Paper, Recycled Paper, Colour Paper, Letterhead |

GENERAL

| | |
|------------------------------------|--|
| Energy Use | 23 Watt (standalone copying, ISO/IEC 24712 pattern), 1.4 Watt (sleep mode), 10 Watt (Ready), 0.2 Watt (Power off), TEC 0.19 kWh/week |
| Supply Voltage | AC 220 V - 240 V, 50 Hz - 60 Hz |
| Product dimensions | 425 x 535 x 357 mm (Width x Depth x Height) |
| Product weight | 18.3 kg |
| Compatible Operating Systems | Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2 |
| Included Software | Epson Document Capture Pro (Windows only) |
| Sound Power | Operation: 6.8 B (A) |
| Noise | Operation: 54 dB (A) |
| Mobile and Cloud printing services | Apple AirPrint, Google Cloud Print, Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud, Facebook print) |
| Power supply | 220V, 240V |

ADDITIONAL FEATURES

| | |
|--------------------|--|
| Features | Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB |
| Panel | Type: Color, Touchscreen, Diagonal: 10.9 cm |
| Media Handling | ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support |
| Security Functions | Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode |

PRODUCT SPECIFICATIONS

WorkForce Pro WF-M5799DWF

OTHER FEATURES

| | |
|------------|---|
| Emulations | PCL6, PostScript 3, ESC/P-R, PDF 1.7, PCL5e |
|------------|---|

OTHER

| | |
|----------|--|
| Warranty | 12 months On-site service Optional warranty extension available |
|----------|--|

SUPPLIES

| | | |
|--|------------|---------------|
| ● WF-M52xx/57xx Series Ink Cartridge XXL Black | C13T966140 | 40,000 pagine |
| ● WF-M52xx/57xx Series Ink Cartridge XL Black | C13T965140 | 10,000 pagine |
| ● WF-M52xx/57xx Series Ink Cartridge L Black | C13T964140 | 5,000 pagine |
| ● Maintenance box | C13T671600 | |

LOGISTICS INFORMATION

| | |
|-------------------|---------------|
| SKU | C11CG04401 |
| EAN code | 8715946634166 |
| Country of Origin | Indonesia |
| Layer | 2 Units |

WorkForce Pro WF-M5799DWF

INK YIELD DATA



| | T9641 | T9651 | T9661 |
|---|--------------|---------------|---------------|
| ● | 5,000 pages* | 10,000 pages* | 40,000 pages* |

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Comparison made against the top 10 best selling mono laser printers in Western Europe and Central and Eastern Europe, with a print speed between 21 and 45 pages per minute, as defined by IDC in the 12 months up to December 2017. Data taken from BLI where possible, or as stated by manufacturers' websites.

2. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Comparison made against the top 20 best selling mono laser printers in Western Europe and Central and Eastern Europe, with a print speed between 21 and 45 pages per minute, as defined by IDC in the 12 months up to December 2017. Data taken from BLI where possible, or as stated by manufacturers' websites.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

EPSON®