


WorkForce Enterprise

AM-C5000



DATASHEET / BROCHURE



Zahvaljuju i svom kompaktnom dizajnu, ovaj multifunkcionalni štampa omogu ava održivije štampanje i savršeno je rešenje za sve vaše poslovne potrebe.

WorkForce Enterprise AM-C5000 je spoj brzih performansi i niske potrošnje energije. Savršeno se uklapa u moderne kancelarije, zauzima veoma malo prostora i ima modularni dizajn, tako da ga lako možete prilagoditi svojim konkretnim potrebama. Povrh toga, zahvaljuju i inovativnoj tehnologiji, instaliranje i održavanje je izuzetno lako i ne stvara ni probleme ni nervozu.

Pouzdana i poboljšana održivost

Jednostavnija i kra a putanja papira olakšava izvla enje zaglavljenih papira, a povezivanje finišera je unapre eno. To zna i manje prekida rada. Budu i da ure aj koristi manje potrošnog materijala, proizvodi i manje otpada. Zahvaljuju i malo potrošnji energije, ukupan uticaj štampanja na životnu sredinu primetno je smanjen.

Efikasno održavanje

Manji broj rezervnih delova zna i minimalan broj intervencija, što omogu ava brzo i efikasno svakodnevno održavanje štampa a.

Tehnologija bez zagrevanja

Zahvaljuju i tehnologiji bez zagrevanja Epson Precision Core, ure aj ne zahteva toplotu da bi se zagrejavao nakon uklju ivanja ili aktiviranja iz stanja mirovanja, što znatno smanjuje potrošnju energije. To omogu ava da Epson inkdžet štampa i bez zagrevanja izuzetno brzo štampaju prvu stranu u pore enju sa laserskom tehnologijom.

Napredna kompatibilnost softverskih rešenja

U postoje u IT infrastrukturu može da se integriše veliki broj softverskih rešenja radi pove anja efikasnosti. To uklju uje uslugu Epson Remote Services (ERS), koja nudi sistem za nadgledanje i upravljanje ure ajima, zasnovan na kladu, koji omogu ava naprednu daljinsku dijagnostiku poslovnih Epson proizvoda.

GLAVNE OSOBINE

- **Velika pouzdanost**
Jednostavan mehanizam za okruženja u kojima zastoj u radu nije prihvatljiv
- **Održivije rešenje**
Uz tehnologiju bez zagrevanja, smanji ete potrošnju energije i uštedeti na ra unima za struju
- **Malo zauze e radne površine**
Jedan od štampa a koji zauzima najmanju radnu površinu u svojoj klasi
- **Re i prekidi u radu**
Jednostavnija i kra a putanja papira omogu ava lakše izvla enje zaglavljenih papira
- **Rešen problem kompatibilnosti**
Širok spektar integrisanih softverskih rešenja

SPECIFIKACIJE PROIZVODA

TEHNIKA

Metoda štampanja	PrecisionCore™ Micro TFP glava za štampanje
Konfiguracija sapnica	7.230 Sapnice, crno, 7.230 Sapnice po boji
Minimalna veli ina kapljice	3,8 pl, With Variable-Sized Droplet Technology
Tehnologija mastila	DURABrite™ Pro
Snaga	Srednje velika delovna skupina, Oddelek
Više funkcija	Print, Skeniranje, Kopija

ŠTAMPANJE

Broj boja	4 boje
Vreme do prve strane	Monohrom 5,1 Sekunde, Colour 5,1 Sekunde
Brzina štampanja ISO/IEC 24734	50 Pages/min Monohrom, 50 Pages/min Colour
Brzina dvostrane štampe ISO/IEC	50 A4 Pages/min Monohrom, 50 A4 Pages/min Colour
Rezolucija štampanja	600 x 2.400 DPI
Preporu eni radni ciklus	7.200 - 60.000 Pages per month
Boje	Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]
Štampajte sa	PC, MAC, Cloud, Direct USB, Mobile Device (WiFi Direct)

SKENIRANJE

Dvostrano skeniranje	Da
Scanning Speed	60 ipm (Monochrome, Single-sided, ADF) * Scanning in accordance with ISO/IEC 17991; 60 ipm (Colour, Single-sided, ADF) * Scanning in accordance with ISO/IEC 17991; 120 ipm (Monochrome, Double-sided, ADF) * Scanning in accordance with ISO/IEC 17991; 120 ipm (Colour, Double-sided, ADF) * Scanning in accordance with ISO/IEC 17991; 0,4 msec/line (Colour, 300 dpi, Flatbed); 0,6 msec/line (Colour, 600 dpi, Flatbed);
Rezolucija skeniranja	600 DPI x 1.200 DPI (vodoravno x uspravno)
Optical Resolution (ADF)	600 DPI x 600 DPI (vodoravno x uspravno)
Napredna integracija dokumenata	Scan to E-mail, Skeniranje za FTP, Skeniranje za mrežni direktorij, Skeniraj na USB, Ra unar (Epson Document Capture Pro)
Maximum scan size	297 mm x 431 mm
Izlazni formati	BMP, Skeniranje u JPEG, Skeniranje u TIFF, Skeniranje u multi-TIFF, Skeniranje u PDF, Skeniranje u pretraživi PDF, PDF/A, PNG, Secured PDF
Tip skenera	Senzor za prepoznavanje slike (CIS)

SLANJE FAKSA

Vrsta faksa	Štampanje faksova crno-belo i u boji
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Slanje faksa pomo u brzog biranja (maks.)	2.000 imena i brojevi
Memorija stranice	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Funkcije faksa	Slanje faksa preko PC-a, Faks na e-mail, Primanje i memorisanje, Auto Redial, Brzi izbor, Fax to Folder, Address Book, Fax Preview, Polling Reception

COPY

Copy resolution (dpi)	600 x 600
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	2.000
Maximum Copy Size	A3

CONNECTIVITY

Protokoli za mrežno štampanje	LPR, FTP, IPP, LPD, Port 2501, Port 9100, WSD, IPsec, WSD-Print, IPPS, IS, Bonjour/Airprint, SMB 1.0, SMB 2.0, SMB 3.0
Protokoli za upravljanje mrežom	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, SLP, WSD, LLTD, Ping, SMTP, LLMNR, POP3, IPsec, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
Mrežni protokol	HTTPS, IPv4, IPv6, SNMP
Network Scanning Protocols	WSD-Scan, FTP, SMB 1.0, SMB 2.0, SMB 3.0
Priklju ci	Ethernet interfejs (1000 Base-T/100-Base TX/10-Base-T), USB 2.0-A, Beži ni LAN IEEE 802.11a/b/g/n/ac (opcionalno), USB 3.2 Gen 1x1
WLAN sigurnost	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES), WPA3-SAE(AES)
Network Protocol	TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

WorkForce Enterprise AM-C5000

OBIM ISPORUKE

- Information sheet
- Strujni kabl
- User guide
- Initialization Ink Supply Units

SPECIFIKACIJE PROIZVODA

WorkForce Enterprise AM-C5000

SPECIFIKACIJE PAPIRA I SENZORI

Formati papira	A3 (29,7x42,0 cm), A4 (21.0x29,7 cm), A5 (14,8x21,0 cm), B6, B5, B4, Pismo, Executive, C5 (koverta), Definisano od strane korisnika, C4 (Envelope), DL (koverta), A6 (10,5x14,8 cm)
Automatsko uvla enje dokumenta	150 Stranice
Odgovaraju a težina papira	52 g/m ² - 300 g/m ²
Dvostrano	Yes (A4/A3, plain paper)
Kapacitet ADF-a	500 Sheets
Paper Tray Capacity	1.150 Sheets Standardno, 5.150 Sheets maksimalno
Standard paper tray(s)	2 x 500-Sheet paper tray
Optional paper tray(s)	2 x 500-Sheet paper tray, Cabinet
Maximum paper input	5.150
Broj fioka za papir	2

PAPER FEED MPT

Paper Input Name	MPT
Paper Formats	A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, EXE
Custom sizes	Min 55x 140 mm to Max 297x 1.200 mm
Compatible paper weight	52 g/m ² - 300 g/m ²
Paper Capacity 1	150 Sheets of Plain Paper
Paper Capacity 2	10 Envelopes

PAPER FEED C1

Paper Input Name	C1
Paper Formats	A3, A4, A5, A6, B4, B5, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter
Custom sizes	Min 85x 140 mm to Max 297x 431,8 mm
Compatible paper weight	52 g/m ² - 300 g/m ²
Paper Capacity 1	500 Sheets of Plain Paper
Paper Capacity 2	150 Postcards

PAPER FEED C2-C4

Paper Input Name	C2-C4
Paper Formats	A3, A4, A5, A6, B4, B5, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter
Custom sizes	Min 85x 140 mm to Max 297x 431,8 mm
Compatible paper weight	52 g/m ² - 300 g/m ²
Paper Capacity 1	500 Sheets of Plain Paper
Paper Capacity 2	150 Postcards

PAPER FEED DUPLEX

Paper Input Name	Duplex
Custom sizes	Min 139,7x 182 mm to Max 297x 431,8 mm
Compatible paper weight	52 g/m ² - 250 g/m ²

PAPER FEED LCT

Paper Input Name	LCT
Paper Formats	A4, B5, Letter
Compatible paper weight	60 g/m ² - 160 g/m ²
Paper Capacity 1	3.000 Sheets of Plain Paper

SPECIFIKACIJE PROIZVODA

WorkForce Enterprise AM-C5000

OPŠTE INFORMACIJE

Potrošnja energije	115 W (standalone copying, ISO/IEC 24712 pattern), 1 W (sleep mode), 46 W Spreman, 0,1 W (isklju iti), TEC 0,23 kWh/week
Priklju ak	AC 100 V - 240 V, 50 Hz - 60 Hz
Dimenzije	555 x 620 x 1.214 mm (Širina x Dubina x Visina)
Težina	124,3 kg
Kompatibilni operativni sistemi	Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.9.5 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, macOS 11 or later
Ja ina buke	Rad: 6,8 B (A)
Pritisak buke	Rad: 53 dB (A)
Štampanje sa mobilnog ure aja i iz oblaka	Apple AirPrint, Mopria, Epson Smart Panel App, Epson Connect (Email Print, Remote Print Driver)
Snabdevanje strujom	100V, 220V, 240V
Optional extras	Hard disk, Produžetak garancije Cover Plus, Wi-Fi unit

ADDITIONAL FEATURES

Memorija	8.192 MB
Funkcije	Dodirni ekran, Direktno štampanje, Direktno štampanje sa USB-a, Tehnologija provere mlaznica
LC displej	Tip: Obojeni, Dodirni ekran, Dijagonala: 25,7 cm
Obrada medija	Duplex (A4/A3, plain paper)
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, IEEE802.1x, Panel Admin Mode
HDD	320 GB Encrypted AES-256

OSTALE FUNKCIJE

Emulacije	PCL5c, PCL6, PostScript 3, PDF 1.7, ESC/P-R, PCL5e, ESC/Page, ESC/Page-Colour
Optional Software & Solutions	Epson Device Admin, Epson Net Config, Epson Print Admin, Epson Print Admin Serverless
Security	TLS, TLS V1.1, TLS V1.2, TLS V1.3, SSL, SNMP V3, IPSec, Document Encryption, Data storage Encryption, WPA2, WPA3, PIN code Release, Panel Admin Mode

POTROŠNI MATERIJAL

● Maintenance Box (AM-C4000/5000/6000)	C12C937181	
● WorkForce Enterprise AM-C5000/6000 Black Ink	C13T08G100	50.000 pagine
● WorkForce Enterprise AM-C5000/6000 Cyan Ink	C13T08G200	30.000 pagine
● WorkForce Enterprise AM-C5000/6000 Magenta Ink	C13T08G300	30.000 pagine
● WorkForce Enterprise AM-C5000/6000 Yellow Ink	C13T08G400	30.000 pagine

OPTIONAL ACCESSORIES

- Authentication Device Table-P1
C12C937381
- EpsonNet 10/100/1000Base Tx Int
C12C934471
- Expansion Board-P1 (OCR unit)
C12C936801
- HDD-P1
C12C936791
- Super G3/G3 Fax Board
C12C934491
- Wireless LAN Interface-P1 (5GHz)
C12C936861

INFORMACIJE O LOGISTICI

SKU	C11CJ42401
Šifrirane trake	8715946705392
Zemlja porekla	Indonesia
Veli ina palete	1 Komad

WorkForce Enterprise AM-C5000

INK YIELD DATA

●	50.000 strane*
● ● ●	30.000 strane*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



EWE COMP d.o.o.
Cara Dusana 212, Zemun
Tel: +381 11 3535 500
www.ewe.rs

ATOM PARTNER d.o.o.
Sindjeliceva 9, Beograd
Tel: +381 11 2090804
www.atompartner.com

Robne marke ili registrovane robne marke vlasništvo su Seiko Epson Corporation ili njihovih odgovaraju ih vlasnika. Informacije o proizvodima podložne su promenama bez prethodne najave.

1. - Približan obim štampe na ure aju AM C6000. Stvaran broj odštampanih strana zavisi od slika koje se štampaju i uslova koriš enja. Dodatne informacije potražite na adresi www.epson.eu/pageyield.
2. - Faks je opcionalan u nekim podru jima uz dodatne troškove. Više informacija potražite u lokalnom predstavništvu kompanije Epson.
3. - Približno na osnovu internog testiranja; može da se razlikuje u zavisnosti od broja izabranih kopija, okruženja u kome se štampa, kao i od podešavanja veli ine, orijentacije i položaja papira.
4. - Beži no povezivanje je mogu e u nekim podru jima uz dodatne troškove. Više informacija potražite u lokalnom predstavništvu kompanije Epson.
5. - Potrošnja energije se odnosi na ku ište sa duplom kasetom

EPSON®